







NOTES

1. This drawing is to be read in conjunction with all relevant Engineers and Architects drawings.
2. All dimensions are in millimetres unless noted otherwise. All levels are in Metres Above Ordnance Datum.
3. In accordance with CDM Regulations 2001 the Contractor is to:
 - Notify HSE of works.
 - Comply with the requirements of Health and Safety Plan/If applicable)
 - Provide risk assessments and method statements for all potential hazards relevant to this project.
4. The main contractor shall be responsible for the setting out and accuracy of all dimensions. He shall satisfy himself that the information given is correct and any discrepancies should be noted to the Engineer immediately.
5. **DO NOT SCALE.** If discrepancy or query arises on dimensions consult Engineer.
6. The Contractor is responsible for specifying product and codes and ordering of drainage materials.
7. All drainage to be installed to BS5955 Pt6 and in strict accordance with the manufacturers instructions.
8. All PVC-U drainage products to conform to BS EN1401 & Kite mark certified in accordance with specification.
9. All drainage pipes on this drawing to be 150mm unless shown otherwise.
10. Cover grades are in accordance with BS497 Pt 1 Cover Grades :- D400 - carriageways; B125 - footpaths; A15 - inaccessible to vehicles
11. Sewer runs and manholes to be adopted are to be in accordance with Sewers for Adoption, 5th Edition.
12. Any drainage laid less than 600mm below F.O.L. (not under roads) to be covered with minimum 150mm Gen 3 grade concrete to half diameter.



PRELIMINARY

Cowan Consultancy
 STRUCTURAL, CIVIL AND BUILDING CONSULTANTS
 3 Turnberry House
 4400 Parkway
 Minterley
 Huddersfield
 PO15 7FL
 Tel: 01489 577488
 Fax: 01489 579872
 consultants@cowanconsultancy.co.uk
 www.cowanconsultancy.co.uk

Parsons Construction

DRAINAGE DETAILS
 Transfer/Recycling Facility

Knowle Lane, for Oak

Date: May 16
 Scale: As noted
 Drawn: EGD

Prog. No. 320961-101

