



The fence must adhere to the appropriate British Standard; BS1722-9:2006

1400mm high fence must have 20mm diameter vertical bars, 112mm gap between bars and for a 2720mm panel the restriction of 24. The horizontal bar must be 40mm x 10mm

The fencing is to be a galvanized steel railing with a polyester powder coat finish to match the existing railing in the yard

# PLANNING APPLICATION



HCC Property Services,  
Three Minsters House,  
76 High Street, Winchester SO23 8UL.  
tel: (01962) 847801

Notes	
1 This drawing is © copyright Hampshire County Council 2014. No unauthorised reproduction permitted. All rights reserved.	3 This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of Her Majesty's Stationery Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. (100019180), (2014)
2 No dimensions are to be scaled from this drawing	

rev	description	date	by

PROJECT				SHEET CONTENTS	
<b>St Lawrence CE Primary School Alton, Hampshire, GU34 2BY</b>				<b>Churchyard Proposed Fencing</b>	
SCALE 1:10 @ A1 1:20 @ A3	DATE 06/05/14	DRAWN. ARCTB	CHKD. ---	DRAWING No. <b>P10403 A100</b>	REVISION
				FILE REF. <i>File name</i>	

