



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. CUT KEY INTO EXISTING SURFACE WITH SAW CUT EDGES, 300 WIDE x 50 DEEP.
3. TREATMENT OF BITUMINOUS SURFACES AND VERTICAL JOINTS SHALL BE IN ACCORDANCE WITH CL 903.4.
4. SURFACE COURSE TO CUSHION SHALL BE HRA 30/10 F SURF 40/60, PSV 60, TO BS EN 13108-4. MAXIMUM AAV 14. PRE-COATED CHIPPINGS SHALL NOT BE USED.
5. REGULATING BINDER COURSE SHALL BE DENSE ASPHALT CONCRETE BINDER COURSE AC20 DENSE REG 100/150 TO BS EN 13108-1 AND SHALL BE LAID ACCORDING TO BS 594987.
6. REGULATING BINDER COURSE AND SURFACE COURSE SHALL BE OVERLAID BY A SUFFICIENT THICKNESS TO ENABLE FULL COMPACTION OF EACH LAYER OF MATERIAL TO BE ACHIEVED.
7. SOLID TRIANGLE MARKINGS SHALL BE TO DIAG 1062 OF THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS. BOTH THE TRIANGLE AND THE 100 WIDE SOLID LINE TO THE PERIMETER OF THE CUSHION SHALL BE IN WHITE THERMOPLASTIC MATERIAL IN ACCORDANCE WITH APPENDIX 12/3 AND CLAUSE 1212.
8. FOR CUSHION TYPE AND LOCATION, SEE LAYOUT DRAWINGS.



FOR TREATMENT OF SURFACES, REFER TO NOTE 3
SECTION A - A



FOR TREATMENT OF SURFACES, REFER TO NOTE 3
SECTION B - B

Copyright Hampshire County Council. 2015

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.

A	CL. 1212SR CHANGED TO CL. 1212	MAY 16	RB	WW	APP
REV	AMENDMENTS	DATE	CAD	CHKD	APPD

CONSULTANT



STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT

SCHEME

STANDARD DETAILS

DRAWING TITLE

**SPEED CUSHIONS
TYPE 1A & 1B**

HCC CADplot: 10.May.2015 at 9:30am

DRAWN	MC	CHECKED	WW, WW	SCALE @ A3	N.T.S
CAD	MC	APPROVED	CP, CP	DATE	July 2015
DRG No.	HCC10/C/120			REVISION	A