



RUBBLE DRAIN

RUBBLE DRAIN
STANDARD DEPTH IS EITHER 1200 OR 1500. THEY ARE DESIGNATED ON THE SCHEME DRAWINGS AS FOLLOWS:
RD 1200 = 1200 DEEP RUBBLE DRAIN
RD 1500 = 1500 DEEP RUBBLE DRAIN.




TYPE B FILTER MATERIAL TO CLAUSE 505



TERMINAL SOAKAWAY

TERMINAL SOAKAWAYS
STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
TS/L5000 = TERMINAL SOAKAWAY, 5000 LONG



LINEAR DITCH SOAKAWAY

LINEAR DITCH SOAKAWAYS
STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
LDS/L6000 = LINEAR DITCH SOAKAWAY, 6000 LONG

Copyright Hampshire County Council. 2019

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. THIS DETAIL IS TO BE USED TO INTERCEPT SURFACE WATER RUN-OFF FROM FIELDS AND THE LIKE AND SHALL NOT BE USED TO DISCHARGE HIGHWAY DRAINAGE.
3. THE CONTRACTOR IS TO PROVIDE TEMPORARY WORKS DETAILS AND A METHOD STATEMENT FOR APPROVAL BY THE OVERSEEING ORGANISATION AT LEAST 2 WEEKS PRIOR TO CONSTRUCTION.

REV	AMENDMENTS	DATE	CAD	CHKD	APPD
CONSULTANT					
		STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT			
SCHEME					
STANDARD DETAILS					
DRAWING TITLE					
RUBBLE DRAIN TERMINAL SOAKAWAY AND LINEAR DITCH SOAKAWAY					
HCC CADplot: 24.Mar.2020 at 8:58am					
DRAWN	RB	CHECKED	JPR	SCALE @ A3	N.T.S
CAD	RB	APPROVED	CDP	DATE	March 2020
DRG No.	HCC11/D/080				REVISION

L:_Enal Standard AutoCAD Standard Detail (Scheme) Ac Updated Dec 2011\HCC11 2020 STANDARD DETAILS\080.dwg