



RUBBLE DRAIN

RUBBLE DRAIN
 STANDARD DEPTH IS EITHER 1200 OR 1500. THEY ARE DESIGNATED ON THE SCHEME DRAWINGS AS FOLLOWS:
 RD 1200 = 1200 DEEP RUBBLE DRAIN
 RD 1500 = 1500 DEEP RUBBLE DRAIN.




TYPE B FILTER MATERIAL TO CLAUSE 505



TERMINAL SOAKAWAY

TERMINAL SOAKAWAYS
 STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
 TS/L5000 = TERMINAL SOAKAWAY, 5000 LONG



LINEAR DITCH SOAKAWAY

LINEAR DITCH SOAKAWAYS
 STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
 LDS/L6000 = LINEAR DITCH SOAKAWAY, 6000 LONG

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. THIS DETAIL IS TO BE USED TO INTERCEPT SURFACE WATER RUN-OFF FROM FIELDS AND THE LIKE AND SHALL NOT BE USED TO DISCHARGE HIGHWAY DRAINAGE.
3. THE CONTRACTOR IS TO PROVIDE TEMPORARY WORKS DETAILS AND A METHOD STATEMENT FOR APPROVAL BY THE OVERSEEING ORGANISATION AT LEAST 2 WEEKS PRIOR TO CONSTRUCTION.

REV	AMENDMENTS	DATE	CAD	CHKD	APPD

CONSULTANT

STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT

SCHEME

STANDARD DETAILS

DRAWING TITLE

**RUBBLE DRAIN
 TERMINAL SOAKAWAY AND
 LINEAR DITCH SOAKAWAY**

HCC CADplot: 18.Sep.2015 at 2:09pm		SCALE @ A3
DRAWN	CHECKED	SCALE @ A3
RB	WW	N.T.S
CAD	APPROVED	DATE
RB	CP	July 2015
DRG No.	REVISION	
HCC10/D/085	-	

Copyright Hampshire County Council. 2015

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.