



RUBBLE DRAIN

RUBBLE DRAIN
STANDARD DEPTH IS EITHER 1200 OR 1500. THEY ARE DESIGNATED ON THE SCHEME DRAWINGS AS FOLLOWS:
RD 1200 = 1200 DEEP RUBBLE DRAIN
RD 1500 = 1500 DEEP RUBBLE DRAIN.




TYPE B FILTER MATERIAL TO CLAUSE 505



TERMINAL SOAKAWAY

TERMINAL SOAKAWAYS
STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
TS/L5000 = TERMINAL SOAKAWAY, 5000 LONG




LINEAR DITCH SOAKAWAY

LINEAR DITCH SOAKAWAYS
STANDARD DEPTH IS 2000. THEY ARE SPECIFIED ON THE SCHEME DRAWINGS BY LENGTH AS FOLLOWS:
LDS/L6000 = LINEAR DITCH SOAKAWAY, 6000 LONG

NOTES

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. THIS DETAIL IS TO BE USED TO INTERCEPT SURFACE WATER RUN-OFF FROM FIELDS AND THE LIKE AND SHALL NOT BE USED TO DISCHARGE HIGHWAY DRAINAGE.
3. THE CONTRACTOR IS TO PROVIDE TEMPORARY WORKS DETAILS AND A METHOD STATEMENT FOR APPROVAL BY THE OVERSEEING ORGANISATION AT LEAST 2 WEEKS PRIOR TO CONSTRUCTION.



A	BRANDING UPDATED	13.07.2022	CLT	KM	APPD
REV	AMENDMENTS	DATE	CAD	CHKD	APPD

CONSULTANT

STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT

STANDARD DETAILS

**RUBBLE DRAIN
TERMINAL SOAKAWAY AND
LINEAR DITCH SOAKAWAY**

DESIGNER	CHECKED	SCALE @ A3
RB	JPR JPR	N.T.S
CAD	APPROVED	DATE
RB	CDP CDP	March 2020
DRAWING NUMBER	REV	
HCC11/D/080	A	

Copyright Hampshire County Council. 2022

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.