



PLAN VIEW



ELEVATION

NOTES

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. ALL STRAINED WIRE AND WIRE MESH NETTING FENCES TO CONFORM TO BS 1722-2:2006, ATTACHED BY 40 X 4 GALVANISED SATPLES.
3. STAPLES, EYE BOLTS AND WINDING BRACKETS SHALL BE GALVANISED TO BS EN ISO 1461.
4. LINE WIRES TO BE 2.65 DIA. (12 GAUGE) SPRING WIRE TO BS EN 10223 OR BS 4102.
5. RECTANGULAR WOVEN MESH TO BE TYPE HT9/100/15 AND COMPLY WITH BS EN 10223-5: 2012, GALVANISED TO BS EN 10244:2001, ATTACHED TO LINE WIRES AT TOP AND BOTOM WITH WIRE RINGS AT 300 CENTRES.
6. TIMBER POSTS AND STRUTS SHALL BE OF ROUND TIMBER CONFORMING TO BS 1722-7. TIMBER IS TO COMPLY WITH CL. 304 UNLESS OTHERWISE STATED IN APPENDIX 1/15.
7. 2100 x 75 DIA. INTERMEDIATE STRAINING POSTS WITH STRUTS AND THRUST PLATES EACH SIDE OF STRAINING POST TO BE PROVIDED AT MAXIMUM 100m CENTRES.
8. LONGER POSTS MAY BE REQUIRED WHERE GROUND CONDITIONS ARE POOR. THIS IS TO BE CONFIRMED BY THE OVERSEEING ORGANISATION PRIOR TO INSTALLATION.



B	COPYRIGHT AMENDED AND NEW DIRECTORATE DETAILED	10.02.2023	AM	PR	
A	BRANDING UPDATED	20.07.2022	CLT	PR	SDG
REV	AMENDMENTS	DATE	CAD	CHKD	APPD

CONSULTANT




TIM LAWTON BEng CEng FICE FCIHT : ASSISTANT DIRECTOR OF UNIVERSAL SERVICES

SCHEME

STANDARD DETAILS

DRAWING TITLE

TYPICAL POST AND WIRE FENCING

DESIGNER	CHECKED	SCALE @ A3
DF	AH AH	N.T.S
CAD	APPROVED	DATE
DF	SDG SDG	March 2020
DRAWING NUMBER	REV	
HCC11/M/205	B	

Copyright Hampshire County Council.

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to Hampshire Engineering Services.