



PARAPET TYPE AS SHOWN ON INDIVIDUAL BRIDGE DRAWINGS WITH BASE PLATES ON MIN.15 MORTAR BED TO CLAUSE 2601.



**SECTION THROUGH BRIDGE DECK**



**SECTION THROUGH FOOTWAY**

FOR BRIDGES WITH STRUCTURAL CONCRETE UPSTAND BEHIND KERB

**NOTES:**

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. FINISHES TO VERGES:
  - a) WHEN THE APPROACH FOOTPATH/VERGE HAS BITUMINOUS SURFACING, THE FOOTPATH/VERGE CONSTRUCTION OVER THE BRIDGE SHALL BE ST1 CONCRETE AND 20 THICK BITUMINOUS SURFACING.
  - b) WHEN THE APPROACH VERGE IS GRASS, THE VERGE CONSTRUCTION OVER THE BRIDGE SHALL BE ST4 CONCRETE.
  - c) WHEN THE APPROACH FOOTPATH/VERGE IS CONCRETE, THE FOOTPATH/VERGE CONSTRUCTION OVER THE BRIDGE SHALL BE ST4 CONCRETE.

REV	AMENDMENTS	DATE	CAD	CHKD	APPD

CONSULTANT

STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT

SCHEME

**STANDARD DETAILS**

DRAWING TITLE

**FINISHES TO UNDERBRIDGES**

Copyright Hampshire County Council. 2015

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.

DRAWN		CHECKED	SCALE @ A3
WW	MT	MT	N.T.S
CAD		APPROVED	DATE
WW	CP		July 2015
DRG No.			REVISION
HCC10/S/030			-