


CARRIAGEWAY CROSSING
DETAILS



FOOTWAY AND VERGE
DETAILS

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. DUCTS SHALL BE ORANGE UPVC, HAVE AN INTERNALLY SMOOTH BORE AND BE LABELLED "TRAFFIC SIGNALS" AT MAXIMUM 1 METRE INTERVALS. THEY SHALL BE INSTALLED WITH DRAWCORDS.
3. THE CONCRETE SURROUND TO DUCTS WITHIN THE CARRIAGEWAY CROSSINGS SHALL BE MIX ST2 TO CLAUSE 2602.
4. FOR DETAILS OF TRENCH BACKFILL AND CARRIAGEWAY REINSTATEMENT SEE DRAWING NUMBER HCC10/C/090.
5. THE SAND BED TO DUCTS WITHIN A FOOTWAY OR VERGE SHALL BE MATERIAL TO CLAUSE 503.3 (ii), TABLE 5/4.
6. FOR DETAILS OF TRENCH BACKFILL AND FOOTWAY REINSTATEMENT SEE DRAWING NUMBER HCC10/C/095.
7. REINSTATEMENT IN THE VERGE ABOVE THE SAND BED AND SURROUND TO BE FROM COMPACTED ACCEPTABLE MATERIAL WITH 100 THICK CLASS 5A OR 5B TOPSOIL AND SEED OVER.

REV	AMENDMENTS	DATE	CAD	CHKD	APPD
-	-	-	-	-	-

CONSULTANT

STUART JARVIS BSc DipTP FCIHT MRTPI: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT

SCHEME

STANDARD DETAILS

DRAWING TITLE

**TRAFFIC SIGNAL
DUCT DETAILS**

HCC CADplot: 18.Sep.2015 at 2:17pm		
DRAWN	CHECKED	SCALE @ A3
RB	JM	N.T.S
CAD	APPROVED	DATE
RB	CP	July 2015
DRG No.	REVISION	
HCC10/T/055	-	

Copyright Hampshire County Council. 2015

All rights, including translation, reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopied, recorded or otherwise) without the prior written permission of Hampshire County Council. Requests should be directed to the Economy, Transport & Environment Department.

HCC CADfile: K:\Eng\Standard\AutoCAD\Standard Details (Secure) As Updated Dec 2011\2015 STANDARD DETAILS-NOT YET RELEASED\T-055.dwg